



Outdoor Lighting Compliance Checklist

Applications for building permit, conditional use permit, recreation development, plat amendment, subdivision, or special use permits shall include the following:

Submittal Requirements


Please submit a lighting plan that includes the following:

- A site plan indicating the location of all outdoor light fixtures, both proposed and existing on the site.
- Information on each fixture, including the product name, quantity, proposed height, and kelvins (color of bulb/lamp.) Include as much information as possible.
- A photo of each existing fixture. A manufacturer's "cutsheet"/"spec sheet" is required for all new lighting.

Design Standards

Any outdoor lighting, existing or proposed, shall comply with the updated design standards, including, but not limited to: (Refer to [§9-29A-4](#) for all applicable standards)

- Any light source shall be downcast and fully shielded. Partially shielded (semi-opaque/frosted glass) fixtures are prohibited. Refer to page 2 of this document for examples.
- Fixtures shall be mounted so that no light is emitted above the horizontal plane of the fixture.
- Bulbs/Lamps shall not exceed 3,000 kelvin (color temperature.) Refer to bulb packaging.
- Except for down-lighting within soffits, freestanding residential light fixtures shall not exceed 12' in height.
- All light fixtures, including security lighting, shall be aimed and shielded so that the direct illumination shall be confined to the property boundaries of the source. See right diagram.
- All nonessential outdoor commercial, recreational, and residential lighting shall be turned off after business hours and/or when not in use. Sensor activated lights on a timer shall be used to replace existing lighting that is desired for security purposes.
- Any change to an approved lighting plan must obtain prior county approval.



X

Owner/Authorized Agent Signature

Date


I hereby attest that all exterior lighting is included in the lighting plan.

Permit #: _____ Address: _____	Staff Notes:
-----------------------------------	--------------

Examples of Acceptable & Unacceptable Lighting Fixtures

Unacceptable/Not Compliant



Fixtures that produce glare and light trespass




Unshielded Floodlights or Poorly-shielded Floodlights



Unshielded Wallpacks & Unshielded or Poorly-shielded Wall Mount Fixtures




Drop-Lens & Sag-Lens Fixtures w/ exposed bulb / refractor lens




Unshielded Streetlight


Unshielded Bollards




Unshielded Barn Light




Louvered 'Marine' style Fixtures



Unshielded 'Period' Style Fixtures




Unshielded PAR Floodlights




Drop-Lens Canopy Fixtures

Acceptable/Compliant


Fixtures that shield the light source to minimize glare and light trespass and to facilitate better vision at night



Full Cutoff Fixtures




Fully Shielded Wallpack & Wall Mount Fixtures




Fully Shielded Fixtures



Full Cutoff Streetlight




Fully Shielded Barn Light




Fully Shielded Walkway Bollards




Fully Shielded Decorative Fixtures



Fully Shielded 'Period' Style Fixtures



Shielded / Properly-aimed PAR Floodlights



Flush Mounted or Side Shielded Under Canopy Fixtures